

Kansainväliset vertaisarvioidut lehtiartikkelit

2020

Sekki, P., Karvinen, T. & Vinha, J. 2020. **Moisture behavior of external insulated precast concrete wall panels**. Journal of Building Physics, e-published 16 June 2020. Final published version available in [TUTCRIS](#).

Kivioja, H. & Vinha, J. 2020. **Hot-box measurements to investigate internal convection of highly insulated loose-fill insulation roof structures**. Energy and Buildings, e-published 17 March 2020, Vol. 216.

Lindberg, T., Kaasalainen, T., Moisio, M., Mäkinen, A., Hedman, M. & Vinha, J. 2020. **Potential of space zoning for energy efficiency through utilization efficiency**. Advances in Building Energy Research, e-published 27 June 2018, Vol. 14 (1), pp. 19-40. Accepted manuscript available in [TUTCRIS](#)

Kaasalainen, T., Mäkinen, A., Lehtinen, T. Moisio, M. & Vinha, J. 2020. **Architectural window design and energy efficiency: impacts on heating, cooling and lighting needs in Finnish climates**. Journal of Building Engineering, e-published 17 October 2019, Vol. 27.

2019

Fedorik, A., Heiskanen, R., Laukkarinen, A. & Vinha, J. 2019. **Impacts of multiple refurbishment strategies on hygrothermal behaviour of basement walls**. Journal of Building Engineering, e-published 29 July 2019, Vol. 26. Accepted manuscript available in [TUTCRIS](#).

Leivo, V., Kiviste, M., Aaltonen, A., Prasauskas, T., Martuzevicius, D. & Haverinen-Shaughnessy, U. 2018. **Analysis of hygrothermal parameters in Finnish and Lithuanian multi-family buildings before and after energy retrofits**. Journal of Buildings Physics, e-published 18 April 2018, Vol. 42 (4), pp. 441–457. Accepted manuscript available in [TUTCRIS](#).

Du, L., Leivo, V., Prasauskas, T., Täubel, M., Martuzevicius, D. & Haverinen-Shaughnessy, U. **Effects of energy retrofits on Indoor Air Quality in multifamily buildings**. Indoor Air, e-published 28 Mar 2019, pp. 1–12.

Sankelo, P. Jokisalo, J. Nyman, J. Vinha, J & Siren, K. 2019. **Cost-optimal energy performance measures in a new daycare building cold climate**. International Journal of

Sustainable Energy, e-published 14 March 2018, Vol. 38 (2), pp. 104-122. Accepted manuscript available in [TUTCRIS](#).

2018

Leivo, V., Prasauskas, T., Du, L., Turunen, M., Kiviste, M., Aaltonen, A., Martuzevicius, D. & Haverinen-Shaughnessy, U. 2018. **Indoor thermal environment, air exchange rates, and carbon dioxide concentrations before and after energy retro fits in Finnish and Lithuanian multi-family buildings**. Science of the Total Environment, e-published 27 November 2017, Vol. 621, pp. 398–406. Accepted manuscript available in [TUTCRIS](#).

Haverinen-Shaughnessy, U., Martuzevičius, D., Aaltonen, A., Pekkonen, M., Prasauskas, T., Kiviste, M., Leivo, V. & Turunen, M. 2018. **Occupant satisfaction with indoor environmental quality and health after energy retrofits of multi-family buildings: results from INSULAtE-project**. International Journal of Hygiene and Environmental Health, e-published 30 May 2018, Vol. 221 (6), pp. 921–928. Accepted manuscript available in [TUTCRIS](#).

Laukkarinen, A., Kero, P. & Vinha, J. 2018. **Condensation at the Exterior Surface of Windows**. Journal of Building Engineering, e-published 28 June 2018, Vol. 19, pp. 592-601.

Salo, J., Huttunen, P., Vinha, J. & Kesikuru, T. 2018. **Numerical study of time-dependent hygrothermal conditions in depressurized crawl space**. Building Simulation. e-published 3 May 2018, Vol. 11 (6), pp. 1067-1081. Accepted manuscript available in [TUTCRIS](#).

Ruusala, A., Laukkarinen, A. & Vinha, J. 2018. **Energy consumption of Finnish schools and daycare centers and the correlation to regulatory building permit values**. Energy Policy, e-published 1 May 2018, Vol. 119, pp. 183-195. Accepted manuscript available in [TUTCRIS](#).

Kesikuru, T., Salo, J., Huttunen, P., Kokotti, H., Hyttinen, M., Halonen, R. & Vinha, J. 2018. **Radon, fungal Spores and MVOCs reduction in crawl space house: A case study and crawl space development by hygrothermal modelling**. Building and Environment, e-published 20 April 2018, Vol. 138, pp. 1-10.

Vinha, J., Salminen, M., Salminen, K., Kalamees, T., Kurnitski, J. & Kiviste, M. 2018. **Internal moisture excess of residential buildings in Finland**. Journal of Building Physics, e-published 12 January 2018, Vol. 42 (3), pp. 239-258. Accepted manuscript available in [TUTCRIS](#).

Annala, P., Lahdensivu, J., Suonketo, J. Pentti M & Vinha, J. 2018. **Need to repair moisture- and mould damage in different structures in Finnish public buildings**. Journal of Building Engineering, e-published 18 December 2017, Vol. 16, pp. 72-78. Accepted manuscript available in [TUTCRIS](#).

Ilomets, S., Kalamees, T. & Vinha, J. 2018. **Indoor hygrothermal loads for the deterministic and stochastic design of the building envelope for dwellings in cold climates**. Journal of Building Physics, e-published 12 July 2017, Vol. 41 (6), pp. 547-577. Accepted manuscript available in [TUTCRIS](#).

2017

Kiviste, M. & Vinha, J. 2017. **Air pressure difference measurements in Finnish municipal service buildings**. In: Geving, S. & Time, P. (eds.) NSB 2017. Energy Procedia, e-published 17 October 2017, Vol. 132, pp. 879-884. Final published version available in [TUTCRIS](#).

Piironen, J., Vinha, J. & Kiviste, M. 2017. **Modelling hygrothermal performance of roof and floor structures with an energy efficient constant output heating**. In: Geving, S. & Time, P. (eds.) NSB 2017. Energy Procedia, e-published 17 October 2017, Vol. 132, pp. 694-699. Final published version available in [TUTCRIS](#).

Leivo, V., Kiviste, M., Aaltonen, A., Turunen, M. & Haverinen-Shaughnessy, U. 2017. **Impacts of energy retrofits on hygrothermal behavior of Finnish multi-family buildings**. Energy Procedia, e-published 17 October 2017, Vol. 132, pp. 700–704. Final published version available in [TUTCRIS](#).

Laukkarinen, A. & Vinha, J. 2017. **Temperature and relative humidity measurements and data analysis of five crawl spaces**. In: Geving, S. & Time, P. (eds.) NSB 2017. Energy Procedia, e-published 17 October 2017, Vol. 132, pp. 711-716. Final published version available in [TUTCRIS](#).

Niemelä, T., Vinha, J., Lindberg, R., Ruuska, T. & Laukkarinen, A. 2017. **Carbon dioxide permeability of building materials and their impact on bedroom ventilation need**. Journal of Building Engineering, e-published 12 May 2017, Vol. 12, pp.99-108. Accepted manuscript available in [TUTCRIS](#).

Leivo, V., Prasauskas, T., Turunen, M., Kiviste, M., Aaltonen, A., Martuzevicius, D. & Haverinen-Shaughnessy, U. 2017. **Comparison of air pressure difference, air change rates, and CO₂ concentrations in apartment buildings before and after energy retrofits**. Building and Environment, e-published 9 May 2017, Vol. 120, pp. 85–92. Accepted manuscript available in [TUTCRIS](#).

Ruuska, T., Vinha, J. & Kivioja, H. 2017. **Measuring thermal conductivity and specific heat capacity values of inhomogeneous materials with a heat flow meter apparatus**. Journal of Building Engineering, e-published 22 November 2016, Vol. 9, pp. 135-141.

Köliö, A., Pakkala, T. A., Hohti, H., Laukkarinen, A., Lahdensivu, J., Mattila, J. & Pentti, M. 2017. **Effects of Energy Retrofits on Indoor Air Quality in Three Northern European Countries**. *Materials and Structures*, e-published 10 August 2016, Vol. 50 (1), pp. 1–16. Final published version available in [TUTCRIS](#).

2016

L Prasauskas, T., Martuzevicius, D., Kalamees, T., Kuusk, K., Leivo, V. & Haverinen-Shaughnessy, U. 2016. **Effects on energy retrofits on indoor air quality in three northern European countries**. *Energy Procedia*, e-published 21 November 2016, Vol. 96, pp. 253–259.

Hilliaho, K., Köliö, A., Pakkala, T. A., Lahdensivu, J. & Vinha, J. 2016. **Effects of added glazing on Balcony indoor temperatures: Field measurements**. *Energy and Buildings*, e-published 11 July 2016, Vol. 128, pp. 458-472. Accepted manuscript available in [TUTCRIS](#).

Prasauskas, T., Martuzevicius, D., Kalamees, T., Kuusk, K., Leivo, V. & Haverinen-Shaughnessy, U. 2016. **Effects of Energy Retrofits on Indoor Air Quality in Three Northern European Countries**. *Energy Procedia*. Vol., pp. 253–259.

Leivo, V. M., Turunen, M., Aaltonen, A. L. H., Kiviste, M., Du, L. & Haverinen-Shaughnessy, U. 2016. **Impacts of energy retrofits on ventilation rates, CO₂-levels and occupants' satisfaction with indoor air quality**. *Energy Procedia*, e-published 21 November, Vol. 96, pp. 260–265. Final published version available in [TUTCRIS](#).

Vehviläinen, T., Lindholm, H., Rintamäki, H., Pääkkönen, R., Hirvonen, A., Niemi, O. & Vinha, J. 2016. **High indoor CO₂ concentrations in an Office Environment Increases the Transcutaneous CO₂ Level and Sleepiness during Cognitive Work**. *Journal of Occupational and Environmental Hygiene*, e-published 6 January 2016, Vol. 13 (1), pp. 19-29.

2015

Pääkkönen, R., Vehviläinen, T., Jokitulppo, J., Niemi, O., Nenonen, S. & Vinha, J. 2015. **Acoustics and new learning environment – A case study**. *Applied Acoustics*, e-published 16 July 2015, Vol. 100, pp. 74-78. Accepted manuscript available in [TUTCRIS](#).

Vinha, J., Manelius, E., Korpi, M., Salminen, K., Kurnitski, J., Kiviste, M. & Laukkarinen, A. 2015. **Airtightness of residential buildings in Finland**. *Building and Environment*, e-published 11 June 2015, Vol. 93 (2), pp. 128-140. Accepted manuscript available in [TUTCRIS](#).

Du, L., Prasauskas, T., Leivo, V., Turunen, M., Pekkonen, M., Kiviste, M., Aaltonen, A., Martuzevicius, D. & Haverinen-Shaughnessy, U. 2015. **Assessment of indoor environmental**

quality in existing multi-family buildings in North–East Europe. Environment International, e-published 20 March 2015, Vol. 79, pp. 74–84. Accepted manuscript available in [TUTCRIS](#).

Hilliaho, K., Lahdensivu, J. & Vinha, J. 2015. **Glazed space thermal simulation with IDA-ICE 4.61 software - suitability analysis with case study.** Energy and Buildings, e-published 2 January 2015, Vol. 89 (2), pp. 132-141. Accepted manuscript available in [TUTCRIS](#).

2014

Arvela, H., Holmgren, O., Reispacka, H. & Vinha, J. 2014. **Review of low-energy construction, air tightness, ventilation strategies and indoor radon: results from Finnish houses and apartments.** Radiation Protection Dosimetry, e-published 14 November 2013, Vol. 162 (3), pp. 351–363. Accepted manuscript available in [TUTCRIS](#).

Kiviste, M. & Lindberg, R. 2014. **The feasibility of phase change materials in building structures for saving heating energy in the Nordic climate.** Agronomy Research, 12(3) (Special Issue), pp. 989–998. Final published version available in [TUTCRIS](#).

2012

Lindberg, R., Rantala, J., Leivo, V. & Kiviste, M. 2012. **Effect of massive outer leaf of an insulated cavity brick wall on heat loss.** Journal of Building Physics, e-published 13 August 2012, 36(2), pp. 198–211. Accepted manuscript available in [TUTCRIS](#).

2010

Kalamees, T., Kurnitski, J., Jokisalo, J., Eskola, L., Jokiranta, K. & Vinha, J. 2010. **Measured and simulated air pressure conditions in Finnish residential buildings.** Building Services Engineering Research & Technology, e-published 4 March 2010, Vol. 31 (2), pp. 177-190.

Viitanen, H., Vinha, J., Salminen, K., Ojanen, T., Peuhkuri R., Paajanen, L. & Lähdesmäki, K. 2010. **Moisture and biodeterioration risk of building materials and structures.** Journal of Building Physics, e-published 21 August 2009, Vol. 33 (3), pp. 201-224.

2009

Rantala, J. & Leivo, V. 2009. **Drying of in situ cast concrete slabs and covering criteria.** Building and Environment, e-published 15 March 2008, Vol. 44 (2), pp. 331–337.

Rantala, J. & Leivo, V. 2009. **Heat, air, and moisture control in slab-on ground structures.** Journal of Building Physics, e-published 1 April 2009, Vol. 32 (4), pp. 335–353.

Kalamees, T., Korpi, M., Vinha, J. & Kurnitski, J. 2009. **The effects of ventilation systems and building fabric on the stability of indoor temperature and humidity in Finnish detached houses**. Building and Environment, e-published 14 November 2008, Vol. 44 (8), pp. 1643-1650.

Jokisalo, J., Kurnitski, J., Korpi, M., Kalamees, T. & Vinha, J. 2009. **Building leakage, infiltration, and energy performance analyses for Finnish detached houses**. Building and Environment, e-published 29 March 2008, Vol. 44 (2), pp. 377-387. Accepted manuscript available in [TUTCRIS](#).

2008

Jokisalo, J., Kalamees, T., Kurnitski, J., Eskola, L., Jokiranta, K. & Vinha, J. 2008. **A comparison of measured and simulated air pressure conditions of a detached house in a cold climate**. Journal of Building Physics, e-published 1 July 2008, Vol. 32 (1), pp. 67-89. Accepted manuscript available in [TUTCRIS](#).

Leivo, V. & Rantala, J. 2008. **Moisture behaviour of slab-on-ground structures in operating conditions: Steady-state analysis**. Construction and Building Materials, e-published 2 January 2007, Vol. 22 (4), pp. 526–531.

2007

Rantala, J. & Leivo, V. 2007. **Thermal, moisture and microbiological boundary conditions of slab-on-ground structures in cold climate**. Building and Environment, e-published 8 March 2007, Vol. 43 (5), pp. 736–744.

Rantala, J. & Leivo, V. 2007. **Thermal and moisture parameters of a dry coarse-grained fill or drainage layer**. Construction and Building Materials, e-published 14 September 2006, Vol. 21 (8), pp. 1726–1731.

Vinha, J. & Käkelä, P. 2007. **Puurunkoisten ulkoseinien kosteustekninen toiminta Suomen ilmasto-olosuhteissa**. Acta Universitatis Ouluensis C 264: Heikkilä, J. & Koiso-Kanttila, J. (toim.), Patinoituu ja paranee – moderni puukaupunki -tutkijakoulu 2003–2006. Oulu, Oulun yliopisto, s. 100–122.

2006

Kalamees, T., Vinha, J. & Kurnitski, J. 2006. **Indoor Humidity Loads and Moisture Production in Lightweight Timber-frame Detached Houses**. Journal of Building Physics, e-published 1 January 2006, Vol. 29 (3), pp. 219-246.

Leivo V. & Rantala J. 2006. **Seasonal Changes in Water Content of Subsoil Beneath Old Slab-on-Ground Structures in Finland**. Journal of Building Physics, e-published 1 April 2006, Vol 29 (4), pp. 301–312.

Rantala J. & Leivo V. 2006. **Heat loss into the ground from a slab-on-ground structure with floor heating system**. International Journal of Energy Research, e-published 27 April 2006, Vol. 30 (12), pp. 929–938.

2005

Leivo V. & Rantala J. 2005. **Typical Moisture Failures of Slab-on-Ground Structures in Finland**. Practice Periodical on Structural Design and Construction, e-published 1 May 2005, Vol 10 (2), pp. 98–101.

Leivo, V. & Rantala, J. 2005. **Moisture Behaviour of a Massive Concrete Slab with a Low Temperature Floor Heating System During the Initial Drying Period**. Construction and Building Materials, e-published 9 September 2004, Vol. 19, pp. 297–305.

Rantala, J. 2005. **A New Method to Estimate the Periodic Temperature Distribution Underneath a Slab-on-ground Structure**. Building and Environment, e-published 12 October 2004, Vol. 40 (6), pp. 832–840.

Rantala, J. 2005. **Estimation of the Mean Temperature Distribution Underneath a Slab-on-ground Structure**. Journal of Building Physics, e-published 1 July 2005, Vol. 29 (1), pp. 51–68.

2004

Kalamees, T. & Vinha, J. 2004. **Estonian Climate Analysis for Selecting Moisture Reference Years for Hygrothermal Calculations**. Journal of Thermal Envelope and Building Science, e-published 1 January 2004, Vol. 27 (3), pp. 199–220.

Lindberg, R., Binamu, A. & Teikari, M. 2004. **Five-Year Data of Measured Weather, Energy Consumption, and Time-Dependent Temperature Variations within Different Exterior Wall Structures**. Energy and Buildings, e-published 5 March 2004, Vol. 36 (6), pp. 495–501.

Leivo, V. & Rantala, J. 2004. **Moisture Design of Slab-on-Ground Structures in Finland**. Practice Periodical on Structural Design and Construction, e-published 15 October 2004, Vol. 9, pp. 202–206.

Rantala, J. & Leivo, V. 2004. **Thermal and Moisture Conditions of Coarse-Grained Fill Layer Under a Slab-on-ground Structures in Cold Climate**. Journal of Thermal Envelope and Building Science, e-published 1 July 2004, Vol. 28 (1), pp. 45–60.

2003

Kalamees, T. & Vinha, J. 2003. **Hygrothermal calculations and laboratory tests on timber-framed wall structures**. Building and Environment, e-published 8 February 2003, Vol. 38 (5), pp. 689-697.

2002

Pessi, A-M., Suonketo, J., Pentti, M., Kurkilahti, M., Peltola, K. & Rantio-Lehtimäki, A. 2002. **Microbial Growth Inside Insulated External Walls as an Indoor Air Biocontamination Source**. Applied and Environmental Microbiology, e-published 1 February 2002, Vol. 68, pp. 963–967.